

Inspection Report

Product Name	β -1,3-Glucan	Product No.	
Lot. No.	20160115	Quantity	4 kg
From	Glucan Workshop		
Validity Period	24 months		
Criteria	Q/58756705-6.1-2015	Items	
Date of Sampling	2016.01.20	Date of Report	2016.02.05
Inspection Items	Standard Request	Check Results	
【Sensory Indexes】			
Appearance	White or off-white powder	White powder	
Taste	Tasteless	Tasteless	
【Physicochemical Indexes】			
Content	$\geq 92\%$	92.9%	
Loss on Drying	$\leq 4\%$	1.2%	
Ash	$\leq 5\%$	4.1%	
Viscosity	≥ 600 cp	710 cp	
【Hygiene Indexes】			
Hg	≤ 1 mg/kg	0.05	
As	≤ 10 mg/kg	0.15	
Pb	≤ 20 mg/kg	0.20	
【Microbiological Indexes】			
Total numbers of colony, CFU/g	1000	Pass	
Fecal coliform	May not be detected	Pass	
Pseudomonas aeruginosa	May not be detected	Pass	
Staphylococcus aureus	May not be detected	Pass	
Mould and Yeast, CFU/g	100	Pass	
Conclusion	According to <i>Quality Standardization Q/58756705-6.1-2015</i> , the product is conform to quality requirement.		

Officer: Du Ling Ling

Reviewer: Du Ling Ling

 Checker: Tian Jie
